

Office Colour Printers



	PIXMA TR150	PIXMA iX6850	PIXMA TS705	PIXMA G1520	PIXMA G5050	MAXIFY iB4150
Print technology	Inkjet	Inkjet	Inkjet	Inkjet (Refillable Ink Tank)	Inkjet (Refillable Ink Tank)	Inkjet
Suitable for	On the move	Personal	Personal	Personal	Personal or workgroup	Personal or workgroup
Core function	Print	Print	Print	Print	Print	Print
PRINT FEATURES						
Print speed (Mono/ Colour)	9.0 / 5.5 ipm	14.5 / 10.4 ipm	15 / 10 ipm	91 / 5.0 ipm	13 / 6.8 ipm	24ppm / 15.5 ppm
First Page Out from ready (Mono/Colour)	-	-	8 secs / 10 secs	-	-	6 secs / 6 secs
Resolution (dpi)	4,800 x 1,200 dpi	9,600 x 2,400 dpi	4,800 x 1,200 dpi	4,800 x 1,200 dpi	4,800 x 1,200 dpi	1,200 x 600 dpi
Automatic double sided printing	-	-	YES	-	YES	YES
Paper Cassette	1	1	2	1	2	2
Paper Capacity	50-sheet	150-sheet	ASF: 100-sheet Cassette: 250-sheet	100-sheet	ASF: 100-sheet Cassette: 250-sheet	2 x 250 sheet
Printer languages	-	-	-	-	-	-
Paper finishing options	-	-	-	-	-	-
Duty Cycle pages/month	-	12,000	15,000	3,000	5,000	30,000
Recommended pages/month	-	-	-	-	-	250 - 1,500
Additional printing features	Custom Template Printing	-	Disc & Nail Sticker printing	-	-	-
CONNECTIVITY						
Mobile connectivity	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	-	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)
Cloud connectivity	PIXMA Cloud Link		PIXMA Cloud Link	-	PIXMA Cloud Link	MAXIFY Cloud Link
PHYSICAL FEATURES						
Interface	USB, Wireless Direct, WLAN PicBridge	USB, Wi-Fi, Ethernet	USB, Wireless, Ethernet, Wireless Direct Connection	USB	USB, Wireless, Ethernet, Wireless Direct Connection	USB, Wi-Fi, Ethernet, USB memory
Display	3.6cm OLED Display (Monochrome)	-	Full dot LCD	-	Full dot LCD	Full dot mono display
Dimensions W x D x H	322 x 185 x 66 mm	584 x 310 x 159 mm	372 x 365 x 158 mm	445 x 330 x 135	403 x 369 x 166 mm	463 x 394 x 290 mm
Weight	2.1 kg	8.1 kg	5.4 kg	4.8 kg	6.5kg	9.6 kg
Typical Electricity Consumption (KWh)	0.24	-	0.14	0.09	0.13	0.2
CONSUMABLES						
Cartridges	Standard PGI-35 Black (Yield 200 pg) CLI-36 Colour (Yield 260 pg)	Standard 550 PGBK, 551 BK,C,M,Y Extra Large 555 XXL PGBK, 550 XL PGBK 551 XL BK,C,M,Y	Standard PGI-580PGBK, CLI-581BK CLI-581C, CLI-581M, CLI-581Y XL PGI-580PGBK XL, CLI-581BK XL, CLI-581C XL CLI-581M XL, CLI-581Y XL XXL PGI-580PGBK XXL CLI-581BK XXL, CLI-581C XXL CLI-581M XXL, CLI-581Y XXL	Standard GI-51 PGBK (Yield: 6,000 pg) GI-51 C GI-51 M GI-51 Y (Yield: 7,700 pg) Maintenance Cartridge: MC-G02	Standard GI-50 PGBK (Yield: 6,000 pg) GI-50 C GI-50 M GI-50 Y (Yield: 7,700 pg)	Black Yield : (2500pg) Colour Yield (1500pg)
OPTIONS						
Paper feeder options	-	-	-	-	-	-

Office Colour Printers



	I-SENSYS LBP620 Series (LBP621Cw, LBP623Cdw)	I-SENSYS LBP623Cdw	I-SENSYS X C1127P	I-SENSYS LBP722Cdw	I-SENSYS X C1530P Series (C1533P & C1538P)	I-SENSYS LBP852Cx
Print technology	Laser	Laser	Laser			Laser
Suitable for	Workgroup	Workgroup	Workgroup	Workgroup	Workgroup	Workgroup
Core function	Print	Print	Print	Print	Print	Print
PRINT FEATURES						
Print speed (Mono/ Colour)	LBP621Cw : 18 ppm (A4) LBP623Cdw : 21PPM (A4)	27 ppm / 27 ppm	27 ppm	38ppm	C1533P : 33ppm (A4) C1538P : 38ppm (A4)	36ppm (A4) 18ppm (A3)
First Page Out from ready (Mono/Colour)	10.4 secs / 10.5 secs	7.7 secs / 8.6 secs	8.6 secs	Colour : approx 6.3 seconds Mono : approx 5.3 seconds	Colour : approx 6.3 seconds Mono : approx 5.3 seconds	Colour : approx 7.4 seconds Mono : approx 6.7 seconds
Resolution (dpi)	1,200 dpi x 1,200 dpi	1,200 dpi x 1,200 dpi	1,200 dpi x 1,200 dpi	1,200 dpi x 1,200 dpi	1,200 dpi x 1,200 dpi	9,600 x 600 dpi
Automatic double sided printing	LBP621Cw: NO LBP623Cdw: YES	YES	YES	YES	YES	Yes
Paper Cassette	Standard : 1 Maximum : 1	Standard : 1 Maximum : 2	Standard : 1 Maximum : 2	Standard : 1 Maximum : 2	Standard : 1 Maximum : 4	Standard : 1 Maximum : 4
Paper Capacity	Standard : 251-sheet Maximum: 251-sheet	Standard : 300-sheet Maximum: 850-sheet	Standard : 300-sheet Maximum: 850-sheet	Standard : 650-sheet Maximum: 2,300-sheet	Standard : 650-sheet Maximum: 2,300-sheet	Standard : 650-sheet Maximum : 2,850-sheet
Printer languages	LBP621Cw : UFR II LBP623Cdw : UFR II, PCL5c/6, Adobe Postscript	UFR II, PCL5c/6, Adobe Postscript	UFR II, PCL5c/6, Adobe Postscript	UFR II (Ultra Fast Rendering), PCL5c3, PCL6, Adobe® PostScript3	UFR II (Ultra Fast Rendering), PCL5c3, PCL6, Adobe® PostScript3	UFR II, PCL6, Adobe PostScript
Paper finishing options	-	-	-	-	-	-
Duty Cycle pages/month	30,000	50,000	50,000	Max. 80,000 pages per month	i-SENSYS X C1533P: 40,000 pages i-SENSYS X C1538P: 50,000 pages	120,000
Recommended pages/month	250 - 2,500	750 -4,000	750 -4,000	2,000 - 7,500 pages per month	i-SENSYS X C1533P: 1,000-5,000 pages i-SENSYS X C1538P: 1,500-5,000 pages	2,500 - 7,500
Additional printing features	Print from USB, Secure Printing	Print from USB, Secure Printing	Print from USB, Secure Printing	Secure Print, Print from USB memory key, Microsoft Universal Print, Touch & Print (NFC)	Secure Print, Print from USB memory key, Microsoft Universal Print	Print from USB, Secure Printing
CONNECTIVITY						
Mobile connectivity	iOS: Canon PRINT Business App, AirPrint, Android; Mopria Certified, Canon Print Service Plug-In	iOS: Canon PRINT Business App, AirPrint, Android; Mopria Certified, Canon Print Service Plug-In	iOS: Canon PRINT Business App, AirPrint, Android; Mopria Certified, Canon Print Service Plug-In uniFLOW	iOS: Canon PRINT Business App, AirPrint, Android; Mopria Certified, Canon Print Service Plug-In	iOS: Canon PRINT Business App, AirPrint, Android; Mopria Certified, Canon Print Service Plug-In uniFLOW	iOS: Canon PRINT Business App, AirPrint, Android; Canon PRINT Business App, Mopria Certified, Canon Print Service Plug-In, uniFLOW, Windows10 Mobile Print
Cloud connectivity				Universal Print	Universal Print	
PHYSICAL FEATURES						
Interface	LBP621Cw: USB, Ethernet, Wireless LBP623Cdw: USB, Ethernet, Wireless	USB, Ethernet, Wireless, Wireless Direct Connection	USB, Ethernet, Wireless, Wireless Direct Connection	USB 2.0 High-Speed, 10BASE-T/100 BASE-TX/1000BASE-T	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection	USB, Ethernet, Wireless
Display	5 line Mono LCD	5 line Mono LCD	12.7cm Colour touch screen	5 line mono display	5 line mono display	5 line mono display
Dimensions W x D x H	430 mm x 418 mm x 287 mm	437 mm x 469 mm x 313 mm	476 mm x 469 mm x 379 mm	458 mm x 464 mm x 388 mm	458 mm x 464 mm x 388 mm	556mm x 608mm x 403mm
Weight	Approx. 15.5kg	20.7 kg	19 kg	Approx. 29 kg	Approx. 25 kg	Approx 45 kg
Typical Electricity Consumption (KWh)	LBP621Cw - 0.5 LBP623Cdw - 0.6	1	1	0.45	i-SENSYS X C1533P: 0.41 i-SENSYS X C1538P: 0.45k	1.6
CONSUMABLES						
Cartridges	Cartridge 054 Black (Yield :1,500 pg) Cartridge 054 H Black (Yield : 3,100 pg) Cartridge 054 Cyan (Yield :1,200 pg) Cartridge 054 H Cyan (Yield :2,300 pg) Cartridge 054 Magenta (Yield :1,200 pg) Cartridge 054 H Magenta (Yield : 2,300 pg) Cartridge 054 Yellow (Yield : 1,200 pg) Cartridge 054 H Yellow (Yield : 2,300 pg)	Cartridge 055 Black (Yield : 2,300 pg) Cartridge 055 H Black (Yield : 7,600 pg) Cartridge 055 Cyan (Yield : 2,100 pg) Cartridge 055 H Cyan (Yield : 5,900 pg) Cartridge 055 Magenta (Yield : 2,100 pg) Cartridge 055 H Magenta (Yield : 5,900 pg) Cartridge 055 Yellow (Yield : 2,100 pg) Cartridge 055 H Yellow (Yield : 5,900 pg)	TONER T09 Black (7,600 pg) TONER T09 Cyan (5,900 pg) TONER T09 Magenta (5,900 pg) TONER T09 Yellow (5,900 pg)	Cartridge 064 Black (6,000 pages7) Cartridge 064 Cyan (5,000 pages7) Cartridge 064 Magenta (5,000 pages7) Cartridge 064 Yellow (5,000 pages7) Cartridge 064H Black (13,400 pages7) Cartridge 064H Cyan (10,400 pages7) Cartridge 064H Magenta (10,400 pages7) Cartridge 064H Yellow (10,400 pages7)	TONER T10 Black (13,000 pages 6) TONER T10 Cyan (10,000 pages 6) TONER T10 Magenta (10,000 pages 6) Cartridge 059H C/M/Y (Yield 13,500 pg) TONER T10 Yellow (10,000 pages 6) TONER T10L Black (6,000 pages 6) TONER T10L Cyan (5,000 pages 6) TONER T10L Magenta (5,000 pages 6) TONER T10L Yellow (5,000 pages 6)	Cartridge 059H Bk (Yield : 15,500 pg) Cartridge 059H C/M/Y (Yield 13,500 pg) Drum Cartridge 053 (Yield : 70,000pg) Waste Toner Box: WT-CI (approx. 100,000 A4 pg)
OPTIONS						
Paper feeder options	-	1 x 550-sheet paper cassette	1 x 550-sheet paper cassette	Standard = 1 x 650 Additional =3 x Paper Feeder PF-D1 (550-sheet cassette)1 x CST. Feeding Unit-AV1 (550-sheet cassette)	Standard = 1 x 650 Additional =3 x Paper Feeder PF-D1 (550-sheet cassette)1 x CST. Feeding Unit-AV1 (550-sheet cassette)	Paper feeder PF-G1 550-sheet cassette x3 1,100-sheet 2-drawer cassette pedestal Option 1: 550-sheet cassette x 3 (including standard cassette), 1,100-sheet 2-drawer cassette pedestal Option 2: 550-sheet cassette x 4 (including standard cassette)



Office Mono
Multifunctional
Printers (A3)



	ImageRUNNER 2206/2206N	ImageRUNNER 2206IF	ImageRUNNER 2425 Series (IR2425, IR2425i)	ImageRUNNER 2600 Series (IR2625, IR2630, IR2645)
Print technology	Laser	Laser	Laser	Laser
Suitable for	Personal or workgroup	Workgroup	Workgroup or Department	Workgroup or Department
Core function	Print, Copy, Scan	Print, Scan, Copy, Fax	Print, Scan, Copy, Send, Fax* (*Optional on all models)	Print, Scan, Copy send and Optional Fax* (*Optional on all models)
PRINT FEATURES				
Print speed	22 ppm	22 ppm	25 ppm	IR2625i: 25 ppm IR2630i: 30 ppm IR2645i: 45 ppm
First Page Out from ready	-	-	-	-
Resolution (dpi)	600 x 600 dpi	600 x 600 dpi	600 x 600 dpi	1,200 x 1,200 dpi
Automatic double sided printing	IR 2204 : No IR 2204N : Yes (Optional)	YES	YES	YES
Paper Cassette	Standard : 1 Maximum : IR2204 : 1 IR2204N : 2	Standard : 1 Maximum : 2	Standard : 1 Maximum : 2	Standard : 2 Maximum : 4
Paper Capacity	Standard : 330-sheet Maximum : IR2204 : 330-sheet IR2204N: 580-sheet	Standard : 330-sheet Maximum : 580-sheet	Standard : 330-sheet Maximum : 580-sheet	Standard : 1,200-sheet Maximum : 2,300-sheet
Printer languages	2206: UFR II-LT 2206N: UFR II, PCL 6	UFR II-LT, PCL 6	UFR II, PCL6 Adobe PostScript 3 (Optional)	UFR II, PCL6 Adobe PostScript 3 (Optional)
Paper finishing options	-	-	-	Inner Finisher
Duty Cycle pages/month	60,000	60,000		IR2625i: 80,000 IR2630i: 95,000 IR2645i: 155,000
Recommended pages/month	2,000 - 6,000	2,000 - 6,000	4,000	IR2625i: 5,000 IR2630i: 6,000 IR2645i: 10,000
Additional printing features	2206N: Secure Print	Secure Print	Print from USB, Secure Print	Print from USB, Secure Print
SCAN FEATURES				
Scanner type	IR 2204 : Standard flatbed and platen cover IR2204N : Standard flatbed and optional DADF	Platen, 2-sided ADF	IR2425:Platen IR2425i:Platen, 2-sided ADF	Platen, 2-sided ADF* (*optional for IR2625i)
ADF Capacity	IR 2204 : N/A IR2204N : 50 sheets	50 sheets	50 sheets	IR2625i/2630i: 50 sheets IR2645i: 100 sheets
Scanning destination	Scan to PC	Scan to PC/Server (SMB,FTP), Send to E-Mail	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP)	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP)
Scanning speed	23 ipm	23 ipm	35ipm	IR2625i, IR2630i: 35 ipm IR2645i: 55 ipm
CONNECTIVITY				
Mobile connectivity	IR 2204 : No IR 2204N : Airprint, Canon PRINT Business, Mopria	Airprint, Canon PRINT Business, Mopria	Airprint, Canon PRINT Business, Mopria, uniFLOW	Airprint, Canon PRINT Business, Mopria, uniFLOW
Cloud connectivity			Canon PRINT Business (iOS/Android), uniFLOW	Canon PRINT Business (iOS/Android), uniFLOW
PHYSICAL FEATURES				
Interface	IR 2204 : USB IR 2204N : USB, Ethernet, Wireless	USB, Ethernet, Wireless	USB, Ethernet, Wireless	USB, Ethernet, Wireless
Display	8.89cm touch-panel with backlight support	8.89cm touch-panel with backlight support	7"/17.8 cm Colour touch screen	7"/17.8 cm Colour touch screen
Dimensions W x D x H	622 mm x 589 mm x 502 mm	622 mm x 605 mm x 607 mm	IR 2425: 627 x 665 x 516 mm IR 2425i: 627 x 692 x 616 mm	IR 2645i: 586 x 709 x 921 mm IR 2630i: 586 x 713 x 910 mm IR 2625i: 586 x 713 x 910 mm (with DADF-AZ1) 586 x 700 x 818 mm (with Platen Cover type Z)
Weight	IR2204 : 28.7kg IR2204N : 28kg	36.1 kg	IR 2425: Approx. 34.2 kg including toner IR 2425i: Approx. 39.2 kg including toner	IR 2645i: Approx. 75.5 kg without toner IR 2630i: Approx. 73.6 kg without toner IR 2625i: Approx. 73.6 kg without toner (with DADF-AZ1) Approx. 66.8 kg without toner (with Platen Cover type Z)
Typical Electricity Consumption (KWh)	IR2204 : 0.8 IR2204N : 0.9	0.9	IR 2425 : 0.31 IR 2425i: 0.30	IR 2645i: 2.4 IR 2630i: 1.5 IR 2625i: 1.3
CONSUMABLES				
Cartridges	C-EXV 42 TONER BK (Yield : 10,200 pg)	C-EXV 42 TONER BK (Yield : 10,200 pg)	C-EXV 60 Toner Black (Yield 10,200 pg)	C-EXV 59 Toner Black (Yield 30,000 pg)
OPTIONS				
Paper feeder options	IR 2204: Plain Pedestal IR 2204N: 1 x 250-sheet paper cassette, Plain Pedestal	1 x 250-sheet paper cassette, Plain Pedestal	1 x 250-sheet paper cassette, Plain Pedestal	2 x 550-sheet paper cassette, plain pedestal

Office Mono
Multifunctional
Printers (A3)



	ImageRUNNER ADVANCE DX 4700 Series (IR-ADV DX 4725i, IR-ADV DX 4735i, IR-ADV DX 4745i & IR-ADV DX 4751i)	ImageRUNNER ADVANCE DX 6780i	ImageRUNNER ADVANCE DX 6800 Series (IR-ADV DX 6860i and IR-ADV DX 6870i)	ImageRUNNER ADVANCE DX 8700 Series (IR-ADV DX 8786i/8795P/8705P; IR-ADV DX 8786i/8795i/8705i)
Print technology	Laser	Laser	Laser	Laser
Suitable for	Workgroup or Department	Workgroup or Department	Workgroup or Department	High volume office departments, Commercial, In house CRD, Publishers
Core function	Print, Scan, Copy, Send, Store and Optional Fax	Print, Copy, Scan, Send, Store and Optional Fax	Print, Copy, Scan, Send, Store and Optional Fax	Print, Copy*, Scan*, Send*, Store and Optional Fax* *Not available on IR-ADV DX 8786P/8795P/8705P Models
PRINT FEATURES				
Print speed	IR-ADV DX 4725i: 25 ppm IR-ADV DX 4735i: 35 ppm IR-ADV DX 4745i: 45 ppm IR-ADV DX 4751i: 51 ppm	IR-ADV DX 6780i: 80 ppm	IR-ADV DX 6860i: 60 ppm IR-ADV DX 6870i: 70 ppm	IR-ADV DX 8786i/8786P: 86 ppm IR-ADV DX 8795i/8795P: 95 ppm IR-ADV DX 8705i/8705P: 105 ppm
First Page Out from ready	-	-	-	-
Resolution (dpi)	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi
Automatic double sided printing	YES	YES	YES	YES
Paper Cassette	Standard : 2 Maximum : 5	Standard : 4 Maximum : 6		Standard : 4 Maximum : 5
Paper Capacity	Standard : 1,200-sheets Maximum : 6,350-sheets	Standard : 4,200-sheets Maximum : 7,700-sheets	Standard: 1,200-sheets Maximum: 6,350-sheets	Standard : 4,200-sheets Maximum : 7,700-sheets
Printer languages	UFR II, PCL6 Adobe PostScript 3 (Optional)	Standard: UFR II, PCL 6 Optional: Adobe PostScript 3 EFI Fiery External Server Options	Standard: UFR II, PCL 6 Optional : Adobe PostScript 3	Standard: UFR II Optional: PCL 6, Adobe PostScript 3
Paper finishing options	Inner Finisher, Staple Finisher, Booklet Finisher and Hole Puncher	Staple Finisher, Booklet Finisher, Hole Puncher, Document Insertion and Folding Unit	Inner Finisher, Staple Finisher, Booklet Finisher and Hole Puncher	Staple finisher, Booklet Finisher, Document Insertion, Hole Puncher, Folding Unit, Inner Booklet Trimmer, Booklet Trimmer and Finisher Jogger
Duty Cycle pages/month	IR-ADV DX 4725i: 95,000 IR-ADV DX 4735i: 135,000 IR-ADV DX 4745i: 170,000 IR-ADV DX 4751i: 215,000	IR-ADV DX 6780i: 400,000	IR-ADV DX 6860i: 300,000 IR-ADV DX 6870i: 350,000	IR-ADV DX 8786i/8786P: 800,000 IR-ADV DX 8795i/8795P: 900,000 IR-ADV DX 8705i/8705P: 1,000,000
Recommended pages/month	IR-ADV DX 4725i: 5,000 - 15,000 IR-ADV DX 4735i: 5,000 - 30,000 IR-ADV DX 4745i: 12,000 - 30,000 IR-ADV DX 4751i: 15,000 - 30,000	IR-ADV DX 6780i: 35,000 - 100,000	IR-ADV DX 6860i: 20,000 - 30,000 IR-ADV DX 6870i: 20,000 - 30,000	IR-ADV DX 8786i/8786P: 40,000 - 200,000 IR-ADV DX 8795i/8795P: 60,000 - 300,000 IR-ADV DX 8705i/8705P: 80,000 - 400,000
Additional printing features	Print from USB, Secure Print	Print from USB, Secure Print	Print from USB, Secure Print	Print from USB, Secure Print
SCAN FEATURES				
Scanner type	Platen, DADF & Single Pass DADF *Detect Feeder Multi Sheet Feed is supported	Platen, Single Pass DADF *Detect Feeder Multi Sheet Feed is supported	Platen, Single Pass DADF *Detect Feeder Multi Sheet Feed is supported	Platen, Single Pass DADF *Detect Feeder Multi Sheet Feed is supported
ADF Capacity	DADF: 100 sheets Single Pass DADF: 200 sheets	200 sheets	200 sheets	200 sheets
Scanning destination	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box
Scanning speed	DADF (Simplex,Duplex): 70 ipm, 35 ipm Single Pass DADF (Simplex, Duplex): 135 ipm, 270 ipm	Single Pass DADF (Simplex, Duplex): 135 ipm, 270 ipm	Single Pass DADF (Simplex, Duplex): 135 ipm, 270 ipm	Single Pass DADF (Simplex, Duplex): 135 ipm, 270 ipm
CONNECTIVITY				
Mobile connectivity	Airprint, Canon PRINT Business, Mopria, Opt NFC, Mobile PRINT & SCAN, uniFLOW Online and uniFLOW Online Express	Airprint, Canon PRINT Business, Mopria, uniFLOW Online Express, Optional uniFLOW Online and NFC	Airprint, Canon PRINT Business, Mopria, uniFLOW Online Express, Optional uniFLOW Online and NFC	Airprint, Canon PRINT Business, Mopria, NFC, Mobile PRINT & SCAN, uniFLOW Online and uniFLOW Online Express
Cloud connectivity	Canon PRINT Business (iOS/Android), uniFLOW Online and uniFLOW Online Express	Canon PRINT Business (iOS/Android), Universal Print by Microsoft, uniFLOW Online Express and Optional uniFLOW Online	Canon PRINT Business (iOS/Android), Universal Print by Microsoft, uniFLOW Online Express and Optional uniFLOW Online	Canon PRINT Business (iOS/Android),uniFLOW Online and uniFLOW Online Express
PHYSICAL FEATURES				
Interface	USB, Ethernet, Wireless	USB, Ethernet, Wireless	USB, Ethernet, Wireless	USB, Ethernet, Wireless
Display	10.1" TFT LCD WSVGA Color Touch panel	Standard: 10.1" TFT LCD WSVGA Colour Touch panel Optional: 10.4" TFT LCD SVGA Colour Upright Touch panel for MFP Model	10.1" TFT LCD WSVGA Color Touch panel	Standard: 10.1" TFT LCD WSVGA Color Touch panel Optional: 10.4" TFT LCD SVGA Color Upright Touch panel
Dimensions W x D x H	Platen model: 608 x 713 x 822 mm DADF model: 608 x 719 x 926 mm Single Pass DADF model: 608 x 722 x 932 mm	IR-ADV DX 6780i: 670 x 770 x 1,185 mm *With optional Upright Control Panel: 1170 x 1120 mm	620 x 722 x 937 mm	IR-ADV DX 8786i/8795i/8705i MFP Model (with flat control panel): 670 x 770 x 1,185 mm IR-ADV DX 8705i/8795i/8786i MFP Model (with upright touch panel): 1,170 x 770 x 1,252 mm IR-ADV DX 8705i/8795i/8786i Printer Model: 670 x 770 x 1,075 mm
Weight	Platen model: Approx. 75.0 kg including toner DADF model: Approx. 81.4 kg including toner Single Pass DADF model: Approx. 87.9 kg including toner	IR-ADV DX 6780i: Approx. 219 kg ¹ Approx. 223 kg ² ¹ Including ADF, Flat Touch Panel and the toner bottle. ² Including ADF, optional Upright touch panel and the toner bottle	IR-ADV DX 6860i: Approx. 91 kg (including regular toner) IR-ADV DX 6870i: Approx. 93 kg	IR-ADV DX 8786i/8795i/8705i MFP Model : Approx. 225 kg including DADF, Upright touch panel and the toner bottle. IR-ADV DX 8786i/8795i/8705i MFP Model: Approx. 221 kg including DADF, flat touch panel and the toner bottle IR-ADV DX 8786i/8795i/8705i Printer Model: Approx. 201 kg including Flat panel, printer cover and the toner bottle
Typical Electricity Consumption (KWh)	IR-ADV DX 4725i: 0.35 kWh IR-ADV DX 4735i: 0.53 kWh IR-ADV DX 4745i: 0.63 kWh IR-ADV DX 4751i: 0.72 kWh *As per USA Energy Star 3.0	IR-ADV DX 6780i: 1.61 kWh *As per USA Energy Star 3.0	IR-ADV DX 6860i: 0.71 kWh IR-ADV DX 6870i: 0.85 kWh *As per USA Energy Star 3.0	IR-ADV DX 8786i: 8.6 kWh IR-ADV DX 8795i: 9.0 kWh IR-ADV DX 8705i: 9.6 kWh
CONSUMABLES				
Cartridges	C-EXV 53 Toner BK (Yield : 42,100 pages)	C-EXV 36 Black Toner (Yield : 56,000 pages)	C-EXV 61 Toner BK (Yield: 71,500 pages)	C-EXV 35 Black Toner (Yield: 70,000 pages)
OPTIONS				
Paper feeder options	Standard 1,200 sheets Multi-purpose tray 100 sheets Maximum: 6,350 sheets (with High Capacity Cassette Feeding Unit-B1 and Paper Deck Unit-F1)	Standard: 4,200 sheets 100-sheet Multi-purpose tray x1 550-sheet cassette x 2 1,500-sheet Paper Deck x 2 Maximum: 7,700 sheets (with Paper Deck Unit-E1 or POD Deck Lite-C1)	Standard: 1,200 sheets 100-sheet multi-purpose tray x 1 550-sheet cassettes x 2 Maximum: 6,350 sheets (with High Capacity Cassette Feeding Unit-C1 + Paper Deck Unit-F1)	Standard: 4,200 sheets 100-sheet Multi-purpose tray x 1 1,500-sheet Paper Deck x 2, 550-sheet Paper Cassette x 2, Maximum: 7,700 sheets (with POD Deck Lite-C1 or Paper Deck Unit-E1)

Office Colour
Multifunctional
Printers



	imageRUNNER C3226i	imageRUNNER ADVANCE DX C3800 Series (IR-ADV DX C3822i, IR-ADV DX C3826i, IR-ADV DX C3830i, IR-ADV DX C3835i)	imageRUNNER ADVANCE DX C5800 Series (IR-ADV DX C5840i, IR-ADV DX C5850i, IR-ADV DX C5860i, IR-ADV DX C5870i)	imageRUNNER ADVANCE DX C7700 Series (IR-ADV DX C7765i, IR-ADV DX C7770i and IR-ADV DX C7780i)
Print technology	Laser	Laser	Laser	Laser
Suitable for	Workgroup or Department	Workgroup or Department	Workgroup or Department	Department
Core function	Print , Scan, Copy, Send, Optional Fax	Print, Copy, Scan, Send, Store and Optional Fax	Print, Copy, Scan, Send, Store and Optional Fax	Print, Copy, Scan, Send, Store and Optional Fax
PRINT FEATURES				
Print speed (Mono/ Colour)	IR C3226i: 26 ppm	IR-ADV DX C3822i: 22/22 ppm IR-ADV DX C3826i: 26/26 ppm IR-ADV DX C3830i: 50/50 ppm IR-ADV DX C3835i: 35/35 ppm	IR-ADV DX C5840i: 40/40 ppm IR-ADV DX C5850i: 50/50 ppm IR-ADV DX C5860i: 50/50 ppm IR-ADV DX C5870i: 70/70 ppm	IR-ADV DX C7765i: 65/60 ppm IR-ADV DX C7770i: 70/65 ppm IR-ADV DX C7780i: 80/70 ppm
Resolution (dpi)	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi	2,400 dpi x 2,400 dpi
Automatic double sided printing	YES	YES	YES	YES
Paper Cassette	Standard : 2 Maximum : 4	Standard: 2 Maximum: 4	Standard : 2 Maximum : 5	Standard : 4 Maximum : 6
Paper Capacity	Standard : 1,200-sheet Maximum : 2,300-sheet	Standard : 1,200-sheets Maximum : 2,300-sheets	Standard : 1,200-sheets Maximum : 6,350-sheets	Standard : 3,550-sheets Maximum : 7,050-sheets
Printer languages	UFRII , PCL6 Adobe PostScript 3 (Optional)	UFRII, PCL6, Adobe® PostScript®3™	Standard: UFR II, PCL6, Adobe® PostScript®3™ Optional: EFI Fiery embedded and external server options	UFRII, PCL 6, Adobe PostScript 3 EFI Fiery embedded and external server options
Paper finishing options	Inner Finisher, Staple finisher and Hole Puncher	Inner Finisher, Staple finisher, Booklet finisher and Hole Puncher	Inner Finisher, Staple Finisher, Booklet Finisher and Hole Puncher	Staple Finisher, Booklet Finisher, Puncher Unit and Document insertion Unit
Duty Cycle pages/month	IR C3226i: 50,000	IR-ADV DX C3822i: 100,000 IR-ADV DX C3826i: 115,000 IR-ADV DX C3830i: 130,000 IR-ADV DX C3835i: 150,000	IR-ADV DX C5840i: 170,000 IR-ADV DX C5850i: 230,000 IR-ADV DX C5860i: 300,000 IR-ADV DX C5870i: 350,000	IR-ADV DX C7765i : 310,000 IR-ADV DX C7770i : 340,000 IR-ADV DX C7780i : 390,000
Recommended pages/month	IR C3226i: 1,500 - 8,000	IR-ADV DX C3822i: 3,000 - 10,000 IR-ADV DX C3826i: 4,000 - 10,000 IR-ADV DX C3830i: 5,000 - 10,000 IR-ADV DX C3835i: 5,000 - 15,000	IR-ADV DX C5840i: 5,000 - 30,000 IR-ADV DX C5850i: 12,000 - 30,000 IR-ADV DX C5860i: 15,000 - 30,000 IR-ADV DX C5870i: 18,000 - 30,000	IR-ADV DX C7765i : 20,000 - 60,000 IR-ADV DX C7770i : 20,000 - 60,000 IR-ADV DX C7780i : 20,000 - 60,000
Additional printing features	Print from USB, Secure Print	Print from USB, Secure Print	Print from USB, Secure Print	Print from USB , Secure Print
SCAN FEATURES				
Scanner type	Platen, 2-sided ADF	Platen, DADF & Single Pass DADF *Detect Feeder Multi Sheet Feed is supported	Platen, Single Pass DADF *Detect Feeder Multi Sheet Feed is supported	Platen, Single Pass DADF *Detect Feeder Multi Sheet Feed is supported
ADF Capacity	100 sheets	DADF: 100 sheets Single Pass DADF: 200 sheets	200 sheets	200 sheets
Scanning destination	Scan to PC (SMB, FTP) USB, E-Mail/Internet FAX (SMTP)	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box
Scanning speed	DADF (Simplex,Duplex): 70 ipm, 35 ipm	DADF (Simplex,Duplex): 70 ipm, 35 ipm Single Pass DADF (Simplex, Duplex): 135 ipm, 270 ipm	Single Pass DADF (Simplex, Duplex): 135 ipm, 270 ipm	Single Pass DADF (Simplex, Duplex): 135 ipm, 270 ipm
CONNECTIVITY				
Mobile connectivity	Airprint, Canon PRINT Business, Mopria, uniFLOW	AirPrint, Canon PRINT Business (iOS/Android), uniFLOW Online and uniFLOW Online Express	AirPrint, Canon PRINT Business (iOS/Android), uniFLOW Online and uniFLOW Online Express	AirPrint, Canon PRINT Business (iOS/Android), Mobile PRINT & SCAN, uniFLOW Online and uniFLOW Online Express
Cloud connectivity	Canon PRINT Business (iOS/Android), Universal Print by Microsoft, uniFLOW Online and uniFLOW Online Express	Canon PRINT Business (iOS/Android), Universal Print by Microsoft, uniFLOW Online and uniFLOW Online Express	Canon PRINT Business (iOS/Android), uniFLOW Online and uniFLOW Online Express	Canon PRINT Business (iOS/Android), uniFLOW Online and uniFLOW Online Express
PHYSICAL FEATURES				
Interface	USB, Ethernet, Wireless	USB, Ethernet, Wireless	USB, Ethernet, Wireless	USB, Ethernet, Wireless
Display	17.8cm/7 inch colour LCD touch screen	10.1" TFT LCD WSVGA Color Touch panel	10.1" TFT LCD WSVGA Color Touch panel	Standard: 10.1" TFT LCD WSVGA Color Touch panel Optional: 10.4" TFT LCD SVGA Color Upright Touch Panel
Dimensions W x D x H	565 mm x 687 mm x 891 mm	Platen model: 565 x 692 x 788 mm DADF model: 565 x 719 x 891 mm Single Pass DADF model: 565 x 722 x 897 mm	IR-ADV DX C5840i/C5850i/C5860i/C5870i: 620 x 722 x 937 mm	689 x 937 x 1,185 mm
Weight	Approx. 74.7 kg including toner	Platen model: Approx. 71 kg DADF model: Approx. 78 kg Single Pass DADF model: Approx. 84 kg	IR-ADV DX C5840i: Approx. 104 kg including regular toner IR-ADV DX C5860i/C5850i: Approx. 105 kg including regular toner IR-ADV DX C5870i: Approx. 108 kg including regular toner	Approx. 255 kg (including toner)
Typical Electricity Consumption (KWh)	0.34* *Based on ENERGY STAR (US scheme),Eligibility Criteria Version 3.0 for Imaging Equipment	IR-ADV DX C3822i: 0.25 kWh IR-ADV DX C3826i: 0.28 kWh IR-ADV DX C3830i: 0.32 kWh IR-ADV DX C3835i: 0.40 kWh *As per USA Energy Star 3.0	IR-ADV DX C5840i: 0.46 kWh IR-ADV DX C5850i: 0.58 kWh IR-ADV DX C5860i: 0.71 kWh IR-ADV DX C5870i: 0.86 kWh *As per USA Energy Star 3.0	IR-ADV DX C7765i: 114 kWh IR-ADV DX C7770i: 119 kWh IR-ADV DX C7780i: 135 kWh *As per USA Energy Star 3.0
CONSUMABLES				
Cartridges	C-EXV 54 TONER BK (Yield: BK 15,500 pages) C-EXV 54 TONER C/M/Y (Yield: 8,500 pages)	C-EXV 49 Toner BK (Yield: 36,000 pages) C-EXV 49 Toner C/M/Y (Yield: 19,000 pages)	C-EXV 58 Toner BK: 71,000 pages C-EXV 58 Toner C/M/Y: 60,000 pages C-EXV 58L Toner C/M/Y: 26,000 pages	C-EXV 52 TONER BK (Yield: 82,000 pages) C-EXV 52 TONER C/M/Y (Yield: 66,500 pages)
OPTIONS				
Paper feeder options	2 x 550-sheet Paper cassette, Plain pedestal	Standard: 1,200 sheets 100-sheet Multi-purpose tray 550-sheet Paper cassette x 2, Maximum: 2,300 sheets (with Cassette Feeding Unit-AW1)	Standard: 1,200 sheets 100-sheet Multi-purpose tray x 1 550-sheet Paper cassette x 2, Maximum: 6,350 sheets (with High Capacity Cassette Feeding Unit-CI + Paper Deck Unit-FI)	Standard: 3,550 sheets 250-sheet Multi-purpose tray, 1100-sheet Paper Deck x 2, 550-sheet Paper Cassette x 2 Maximum: 7,050 sheets(with Paper Deck Unit-EI or POD Deck Lite-CI)

Office Mono Multifunctional Printers (A4)



	PIXMA GM4050	i-SENSYS MF3010	i-SENSYS MF110 Series (MF112, MF113w)	i-SENSYS MF237w	i-SENSYS MF260 Series (MF264dw, MF267dw, MF269dw)
Print technology	Inkjet (Refillable Ink Tank)	Laser	Laser	Laser	Laser
Suitable for	Personal or Workgroup	Personal	Personal or small workgroup	Personal or small workgroup	Personal or small workgroup
Core function	Print	Print, Scan, Copy	Print, Scan, Copy	Print, Scan, Copy, Fax	MF264dw : Print, Scan, Copy MF267dw, MF269dw : Print, Copy, Scan, Fax
PRINT FEATURES					
Print speed	13 ipm	18 ppm	22 ppm	23 ppm	28 ppm
First Page Out from ready	-	7.8 secs	6.5 secs	6 secs	5.2 secs
Resolution (dpi)	600 x 1,200 dpi	600 x 400 dpi	600 x 600 dpi	1,200 x 1,200 dpi	600 x 600 dpi
Automatic double sided printing	YES	-	-	-	YES
Paper Cassette	2	1	1	1	1
Paper Capacity	ASF: 100-sheet Cassette: 250-sheet	150-sheet	150-sheet	251-sheet	MF264dw, MF267dw : 250-sheet, 1-sheet multipurpose tray, 35-sheet ADF MF269dw : 250-sheet, 1-sheet multipurpose tray, 50-sheet DADF
Printer languages	-	UFR II-LT	UFR II-LT	UFR II-LT	UFR II-LT, PCL5e, PCL6
Paper finishing options	-	-	-	-	-
Duty Cycle pages/month	-	8,000	10,000	15,000	30,000
Recommended pages/month	-	250 - 1,000	150-1,500	500-2,000	250-2,500
Additional printing features	-	-	-	-	-
SCAN FEATURES					
Scanner type	Platen, ADF	Platen	Platen	MF237w: Platen, ADF	Platen, ADF
ADF Capacity	35-sheet	-	-	35-sheet	MF264dw, MF267dw : 35-sheet ADF MF269dw : 50-sheet DADF
Scanning destination	Scan to PC	Scan to PC	MF112 : Scan to PC MF113w : Scan to PC, Cloud	Scan to PC, Cloud	MF264dw : Scan to PC, Cloud, MF267dw MF269dw : Scan to PC, Cloud, E-mail
Scan speed (ipm,BW/A4)	-	-	N/A	20 ipm	MF264dw, MF267dw : 20ipm MF269dw : 22ipm
CONNECTIVITY					
Mobile connectivity	Canon PRINT app (iOS/Android)	-	MF113w only : iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app	AirPrint, Canon PRINT Business (iOS/Android), Mopria	iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app
Cloud connectivity	PIXMA Cloud Link	-	Canon PRINT Business	Canon PRINT Business	Canon PRINT Business (iOS/Android)
PHYSICAL FEATURES					
Interface	USB, Ethernet, Wireless, Wireless Direct	USB	MF112 : USB MF113w : USB, Wireless, Wireless Direct Connection	Ethernet, Wireless, USB	USB, Wireless, Wireless Direct Connection
Display	Full Dot LCD	-	5 line B&W LCD	Mono touch screen	MF264dw : 5-line B&W LCD MF267dw, MF269dw : 6-line LCD B&W Touch Screen
Dimensions W x D x H	403 mm x 369 mm x 234 mm	372 mm x 276 mm x 254 mm	372 mm x 320 mm x 255 mm	390 mm x 371 mm x 360 mm	390 mm x 405 mm x 375 mm
Weight	9.2kg	8.2 kg	8.9 kg	MF237w : 11.4 kg	MF264dw ,MF267dw : 12.9kg MF269dw : 13.8 kg
Typical Electricity Consumption (KWh)	0.14	0.6	MF112 : 0.5 MF113w : 0.6	0.7	0.8
CONSUMABLES					
Cartridges	Standard: GI-50 (Yield: 6,000 pg) Optional: CL-541 (Yield 180 pg), CL-541XL (Yield 400 pg)	Cartridge 725 (Yield :1,600 pg)	Cartridge 047 (Yield 1,600 pg) Drum Cartridge 049 (Yield : 12,000pg)	Cartridge 737 (Yield : 2,400 pg)	Cartridge 051 (1,700 pg) Cartridge 051H (4,100) Drum Cartridge 051 (23,000 pg)
OPTIONS					
Paper feeder options	-	-	-	-	-

Office Mono
Multifunctional
Printers (A4)



	I-SENSYS MF440 series (MF443dw, MF445dw)	I-SENSYS X 1238i Series (1238i, 1238iF)	I-SENSYS MF540 Series (MF542x, MF543x)	imageRUNNER 1643 Series (IR1643i, IR1643iF)	imageRUNNER ADVANCE DX 717/617/527 Series (IR-ADV DX 527i/iZ, IR-ADV DX 617i/iZ and IR-ADV DX 717i/iZ)
Print technology	Laser	Laser	Laser	Laser	Laser
Suitable for	Personal or small workgroup	Personal or small workgroup	Personal or small workgroup	Workgroup or Department	Workgroup or Department
Core function	MF443dw : Print, Scan, Copy MF445dw : + Fax	1238i : Print, Scan, Copy 1238iF : + Fax	MF542x : Print, Scan, Copy MF543x : + Fax	Print, Scan, Copy, Send IR1643iF : + Fax	Print, Scan, Copy, Send, Optional Fax
PRINT FEATURES					
Print speed	38 ppm	38 ppm	43 ppm	43 ppm	IR-ADV DX 527i/iZ : 52 ppm IR-ADV DX 617i/iZ : 61 ppm IR-ADV DX 717i/iZ : 71 ppm
First Page Out from ready	5.5 secs	5.5 secs	5.7 secs	6.2 secs	-
Resolution (dpi)	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi
Automatic double sided printing	YES	YES	YES	YES	YES
Paper Cassette	Standard : 1 Maximum : 2	Standard : 1 Maximum : 2	Standard : 1 Maximum : 4	Standard : 1 Maximum : 4	Standard : 1 Maximum : 4
Paper Capacity	Standard : 350 Maximum : 900	Standard : 350 Maximum : 900	Standard : 650-sheets Maximum : 2,300-sheets	Standard : 650-sheets Maximum : 2,300-sheets	Standard : 650-sheets Maximum : 3,300-sheets
Printer languages	MF443dw : UFR II, PCL5e, PCL6 MF445dw : UFR II, PCL5e, PCL6 Adobe PostScript	UFR II, PCL5e, PCL6 Adobe PostScript	UFR II, PCL5e, PCL6, Adobe PostScript	UFR II, PCL5e, PCL6, Adobe PostScript	UFR II, PCL6, Adobe PostScript 3
Paper finishing options	-	-	-	-	Staple finisher model (iZ models)
Duty Cycle pages/month	80,000	80,000	150,000	150,000	IR-ADV DX 527i/iZ: 250,000 IR-ADV DX 617i/iZ: 275,000 IR-ADV DX 717i/iZ: 300,000
Recommended pages/month	750 - 4,000	750 - 4,000	2,000 - 7,500	1,000 - 5,000	IR-ADV DX 527i/iZ: 3,000 - 11,000 IR-ADV DX 617i/iZ: 5,000 - 14,000 IR-ADV DX 717i/iZ: 7,000 - 17,000
Additional printing features	Print from USB, Secure Print	Print from USB, Secure Print	Print from USB, Secure Print	Print from USB, Secure Print	Print from USB, Secure Print
SCAN FEATURES					
Scanner type	2-sided ADF (single pass)	2-sided ADF (single pass)	Platen, 2-sided ADF (single pass)	Platen, 2-sided ADF (single pass)	Platen, Single Pass DADF *Detect Feeder Multi Sheet Feed is supported
ADF Capacity	50 sheets	50 sheets	50 sheets	50 sheets	100 sheets
Scanning destination	Scan to PC, USB, E-mail, FTP, Cloud, Internet Fax* *On MF445dw	1238i : Scan to PC, USB, E-mail, FTP, Cloud 1238iF : + Internet Fax	Scan to PC, USB, E-mail, FTP, Cloud, Internet Fax* *On MF543x	Scan to PC, USB, E-mail, FTP, Cloud, Internet Fax	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box
Scan speed (ipm,BW/A4)	38ipm	38ipm	38ipm	38ipm	Single Pass DADF (Simplex, Duplex): 95 ipm, 190 ipm
CONNECTIVITY					
Mobile connectivity	AirPrint, Canon PRINT Business (iOS/Android), Mopria	AirPrint, Canon PRINT Business (iOS/Android), Mopria + uniFLOW, uniFLOW Online	MF542x : AirPrint, Canon PRINT Business (iOS/Android), Mopria, uniFLOW MF543x : + NFC	AirPrint, Canon PRINT Business (iOS/Android), Mopria, uniFLOW IR1643: +NFC	AirPrint, Mopria, Canon PRINT Business, (iOS/Android) Mobile PRINT & SCAN, uniFLOW Online and uniFLOW Online Express
Cloud connectivity	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android), uniFLOW	Canon PRINT Business (iOS/Android), uniFLOW Online and uniFLOW Online Express
PHYSICAL FEATURES					
Interface	USB, Ethernet, Wireless, Wireless Direct Connection	USB, Ethernet, Wireless, Wireless Direct Connection	USB, Ethernet, Wireless, Wireless Direct Connection	USB, Ethernet, Wireless, Wireless Direct Connection	USB, Ethernet, Wireless
Display	5" Colour touch screen	5" Colour touch screen	5" Colour touch screen	5" Colour touch screen	10.1" TFT LCD WSVGA Color Touch panel
Dimensions W xD x H	453 mm x 464 mm x 392 mm	453 mm x 464 mm x 392 mm	MF543x : 494 mm x 464 mm x 452 mm MF542x : 480 mm x 464 mm x 452 mm	1643i: 480 x 595 x 452 mm 1643iF: 494 x 595 x 452 mm	Standard model (IR-ADV DX 717i/617i/527i): 500 x 598 x 617 mm Finisher model (IR-ADV DX 717iZ/617iZ/527iZ): 502 x 598 x 814 mm
Weight	17.2kg	16.2kg	19.8 Kg	19Kg (incl toner)	Standard model (IR-ADV DX 717i/617i/527i): Approx. 37 kg including toner Finisher model (IR-ADV DX 717iZ/617iZ/527iZ): Approx. 46 kg including toner
Typical Electricity Consumption (KWh)	1	1	1.4	1.4	IR-ADV DX 527i/527iZ: 0.54 kWh IR-ADV DX 617i/617iZ: 0.64 kWh IR-ADV DX 717i/717iZ: 0.78 kWh
CONSUMABLES					
Cartridges	Cartridge 057 (Yield : 3,100 pg) Cartridge 057H (Yield : 10,000 pg)	TONER T08 (11,000 pages)	Cartridge 056 L (Yield : 5,100pg) Cartridge 056 (Yield : 10,000 pg) Cartridge 056 H (Yield : 21,000 pg)	Toner T06 Black (Yield: 20,500 pg)	Toner Bottle T03 Black (Yield: 51,500 pages)
OPTIONS					
Paper feeder options	1 X 550-sheet Paper Cassette	1 X 550-sheet Paper Cassette	3 X 550-sheet paper cassette + plain pedestal	3 x 550-sheet paper cassette + Plain pedestal	Standard: 650 sheets 100-sheets Multi-purpose tray 550-sheets Paper cassette x 1 Maximum: 3,300 sheets (with High Capacity Cassette Feeding Unit-D1)

Office Mono Printers



	PIXMA GM2050	i-SENSYS LBP6030B	i-SENSYS LBP110 Series (LBP112, LBP113w)	i-SENSYS LBP162dw
Print technology	Inkjet (Refillable Ink Tank)	Laser	Laser	Laser
Suitable for	Personal or Workgroup	Personal	Personal	Personal
Core function	Print	Print	Print	Print
PRINT FEATURES				
Print speed	13 ipm	18 ppm	22ppm	28 ppm
First Page Out from ready	-	7.8 secs	6.5 secs	5.2 secs
Resolution (dpi)	600 x 1,200 dpi	2,400 x 600 dpi	600 x 600 dpi	600 x 600 dpi
Automatic double sided printing	YES	-	-	YES
Paper Cassette	2	1	1	1
Paper Capacity	ASF: 100-sheet Cassette: 250-sheet	150-sheet	150-sheet	250 sheet cassette + 1-sheet multi-purpose tray
Printer languages	-	UFR II-LT	UFR II-LT	UFR II-LT, PCL5e, PCL6
Paper finishing options	-	-	-	-
Duty Cycle pages/month		5,000	10,000	30,000
Recommended pages/month	15,000	200 - 800	LBP112, LBP113w : 150 -1,500	250-2,500
Additional printing features	-	-	-	-
CONNECTIVITY				
Mobile connectivity	Canon PRINT app (iOS/Android)	-	LBP113w only: iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app	iOS: AirPrint, Canon PRINT Business app Android; Mopria certified, Canon Print Service Plug-in, Canon PRINT Business app
Cloud connectivity	PIXMA Cloud Link	-	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android)
PHYSICAL FEATURES				
Interface	USB, Ethernet, Wireless, Wireless Direct	USB	LBP112 : USB LBP113w : USB, Wireless, Wireless Direct	USB, Wireless, Wireless Direct
Display	-	-	LBP112 : 4 LED indicator, 3 operation key LBP113w : 5 Line LCD	5 Line LCD
Dimensions W x D x H	403 mm x 369 mm x 166 mm	364 mm x 249 mm x 199 mm	LBP112 : 376 mm x 253 mm x 222 mm LBP113w : 376 mm x 291 mm x 222 mm	371 mm x 404 mm x 225 mm
Weight	6 kg	5 kg	LBP112 : 5.9 kg LBP113w : 6.0kg	7.5 kg
Typical Electricity Consumption (KWh)	0.12	0.47	LBP112 : 0.5 LBP113w : 0.6	0.7
CONSUMABLES				
Cartridges	Standard: GI-50 (Yield: 6,000 pg) Optional: CL-541 (Yield 180 pg), CL-541XL (Yield 400 pg)	Cartridge 725 Bk (Yield : 1,600 pg)	Cartridge 047 (1,600 pg) Drum Cartridge 049 (12,000 pg)	Cartridge 051 (1,700 pg) Cartridge 051H (4,100) Drum Cartridge 051 (23,000 pg)
OPTIONS				
Paper feeder options	-	-	-	-

Office Mono Printers



	i-SENSYS LBP220 series (LBP223dw, LBP226dw)	i-SENSYS X 1238P Series (1238Pr, 1238P)	i-SENSYS LBP325x	i-SENSYS X 1643P	i-SENSYS LBP350 Series (LBP351x, LBP352x)
Print technology	Laser	Laser	Laser	Laser	Laser
Suitable for	LBP223dw : Personal or workgroup LBP226dw : Workgroup	Workgroup or Department	Workgroup	Workgroup or Department	Workgroup
Core function	Print	Print	Print	Print	Print
PRINT FEATURES					
Print speed	LBP226dw : 38ppm LBP223dw: 33ppm	38ppm	43ppm	43ppm	LBP351x: 55ppm LBP352x: 62ppm
First Page Out from ready	5.5 secs	5.5 secs	5.7 secs	5.7 secs	LBP351x - 7.2 secs LBP352x - 7.0 secs
Resolution (dpi)	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1200 x 1200 dpi	1200 x 1200 dpi	1,200 x 1,200 dpi
Automatic double sided printing	YES	YES	YES	YES	YES
Paper Cassette	Standard : 1 Maximum : 2	Standard : 1 Maximum : 2	Standard : 1 Maximum : 4	Standard : 1 Maximum : 4	Standard : 1 Maximum : 5
Paper Capacity	Standard : 350-sheet Maximum : 900-sheet	Standard : 350-sheet Maximum : 900-sheet	Standard : 650-sheet Maximum : 2,300-sheet	Standard : 650-sheet Maximum : 2,300-sheet	Standard : 600-sheet Maximum : 3,600-sheet
Printer languages	LBP223dw: UFR II, PCL5e, PCL6 LBP226dw: UFR II, PCL5e, PCL6 + Adobe PostScript	UFR II, PCL5e, PCL6 + Adobe PostScript	UFR II (Ultra Fast Rendering), PCL5e6, PCL6, Adobe® PostScript3	UFR II (Ultra Fast Rendering), PCL5e6, PCL6, Adobe® PostScript3	UFR II, PCL5e6, PCL6, Adobe PostScript
Paper finishing options	-	-	-	-	-
Duty Cycle pages/month	80,000	80,000	150,000	150,000	LBP351x: 250,000 LBP352x: 280,000
Recommended pages/month	750 - 4,000	750 - 4,000	2,000 - 7,500	2,000 - 7,500	LBP351x: 3,000 - 16,000 LBP352x: 5,000 - 20,000
Additional printing features	LBP226dw: Secure Print	Secure Print	Print from USB, Optional Secure Print	Print from USB, Optional Secure Print	Print from USB, Secure print
CONNECTIVITY					
Mobile connectivity	AirPrint, Mopria, Canon PRINT Business (iOS/Android)	1238Pr : AirPrint, Mopria, Canon PRINT Business (iOS/Android) 1238P : + uniFLOW & uniFLOW Online	AirPrint, Mopria, Canon PRINT Business (iOS/Android), uniFLOW	AirPrint, Mopria, Canon PRINT Business (iOS/Android), uniFLOW	AirPrint, Mopria, Canon PRINT Business (iOS/Android), uniFLOW
Cloud connectivity	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android)
PHYSICAL FEATURES					
Interface	USB, Ethernet, Wireless	USB, Ethernet, Wireless	USB, Ethernet	USB, Ethernet	USB, Ethernet, Optional Wireless (via SILEX)
Display	5 line Mono LCD	1238Pr: 5 line Mono LCD 1238P: 5" Colour touch screen	5 Line LCD	5 Line LCD	5 Line Mono LCD
Dimensions W x D x H	401 mm x 373 mm x 250 mm	1238Pr: 401 mm x 373 mm x 250 mm 1238P: 438 mm x 373 mm x 312 mm	409 mm x 376 mm x 275 mm	409 mm x 376 mm x 275 mm	415 mm x 529 mm x 438 mm
Weight	9.5 kg	1238Pr: 8.8 kg 1238P: 9.2kg	12.3kg	11.5kg	26.2 kg
Typical Electricity Consumption (KWh)	LBP223dw : 0.9 LBP226dw : 1.0	1238Pr: 0.9 1238P: 1	1.5	1.5	LBP351x: 2.4 LBP352x: 2.8
CONSUMABLES					
Cartridges	Cartridge 057 (Yield : 3,100 pg) Cartridge 057H (Yield : 10,000 pg)	TONER T08 (11,000 pg)	Cartridge 056L (Yield : 5,100 pg) Cartridge 056 (Yield : 10,000 pg) Cartridge 56H (21,000 pg)	TONER T06 (20,500 pages)	Cartridge 039 (Yield : 11,000 pg) Cartridge 039H (Yield : 25,000 pg)
OPTIONS					
Paper feeder options	1 x 550-sheet cassette	1 x 550-sheet cassette	3 x 550-sheet cassette	3 x 550-sheet cassette	Option 1: 500-sheet cassette x 3, 1500-sheet paper deck Option 2: 500-sheet cassette x 4 Others: 500-sheet A5 cassette, 500-sheet Custom Media cassette, 75-sheet envelope feeder

Office Colour Multifunctional Printers (A4)



	PIXMA TR4650	PIXMA TR7550	PIXMA TR8550	PIXMA G2520	PIXMA G2560	PIXMA G3520	PIXMA G3560
Print technology	Inkjet	Inkjet	Inkjet	Inkjet (Refillable Ink Tank)	Inkjet (Refillable Ink Tank)	Inkjet (Refillable Ink Tank)	Inkjet (Refillable Ink Tank)
Suitable for	Personal	Personal or workgroup	Personal or workgroup	Personal	Personal	Personal	Personal
Core function	Print, Scan, Copy, Fax	Print, Scan, Copy, Fax	Print, Scan, Copy, Fax	Print, Scan, Copy	Print, Scan, Copy	Print, Scan, Copy	Print, Scan, Copy
PRINT FEATURES							
Print speed (Mono/ Colour)	8.8 / 4.4 ipm	15 / 10 ipm	15 / 10 ipm	9.1 / 5.0 ipm	10.8 / 6.0 ipm	9.1 / 5.0 ipm	10.8 / 6.0 ipm
First Page Out from ready (Mono/ Colour)	-	-	-	-	-	-	-
Resolution (dpi)	4800 x 1,200 dpi	4800 x 1,200 dpi	4800 x 1,200 dpi	4800 x 1,200 dpi	4800 x 1,200 dpi	4800 x 1,200 dpi	4800 x 1,200 dpi
Automatic double sided printing	Yes	Yes	Yes	-	-	-	-
Paper Cassette	1	1	1	1	1	1	1
Paper Capacity	100-sheet	2 x 100-sheet	2 x 100-sheet	100-sheet	100-sheet	100-sheet	100-sheet
Printer languages	-	-	-	-	-	-	-
Paper finishing options	-	-	-	-	-	-	-
Duty Cycle pages/month	1,200	-	-	3,000	3,000	3,000	3,000
Recommended pages/month	-	-	-	-	-	-	-
Additional printing features	-	-	-	-	-	-	-
SCAN FEATURES							
Scanner type	Platen, ADF	Platen, ADF	Platen, ADF	Platen	Platen	Platen	Platen
ADF Capacity	20-sheet	20-sheet	20-sheet	-	-	-	-
Scanning destination	Scan to PC, Scan to Cloud	Scan to PC, Scan to Cloud	Scan to PC, Scan to Cloud	Scan to PC	Scan to PC	Scan to PC	Scan to PC
Scanning speed	-	-	-	-	-	-	-
CONNECTIVITY							
Mobile connectivity	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	-	-	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)
Cloud connectivity	PIXMA Cloud Link	PIXMA Cloud Link	PIXMA Cloud Link	-	-	PIXMA Cloud Link	PIXMA Cloud Link
PHYSICAL FEATURES							
Interface	USB, Wi-Fi, Wireless Direct	USB, Wi-Fi, Access Point, Bluetooth, Wireless Direct, Bluetooth	USB, Wi-Fi, Access Point, Bluetooth, Wireless Direct, Bluetooth, Ethernet	USB	USB	USB, Wi-Fi, Wireless Direct	USB, Wi-Fi, Wireless Direct
Display	2-line mono LCD	7.5cm colour touchscreen	10.8 cm colour touchscreen	Full dot LCD	Full dot LCD	Full dot LCD	Full dot LCD
Dimensions W x D x H	435 x 295 x 189 mm	438 x 350 x 190 mm	438 x 351 x 190 mm	445 x330 x 167 mm	445 x330 x 167 mm	445 x330 x 167 mm	445 x330 x 167 mm
Weight	5.8 kg	8 kg	8 kg	6.4 kg	6.4 kg	6.4 kg	6.4 kg
Typical Electricity Consumption (KWh)	-	0.25	0.20	0.1	0.1	0.18	0.18
CONSUMABLES							
Cartridges	Standard 545 Black, 546 Colour Extra Large 546 XL Black, 546 XL Colour	Standard 580 PGBK, 581 BK, CMY Extra Large 580XL PGBK, 581XL BK,C,M,Y 2 x Extra Large 580XXL PGBK, 581XXL BK,C,M,Y	Standard 580 PGBK, 581 BK, CMY Extra Large 580XL PGBK, 581XL BK,C,M,Y 2 x Extra Large 580XXL PGBK, 581XXL BK,C,M,Y	Standard GI-51 PGBK (Yield: 6,000 pg) GI-51 C GI-51 M GI-51 Y (Yield: 7,700 pg) Maintenance Cartridge: MC-G02	Standard GI-51 PGBK (Yield: 6,000 pg) GI-51 C GI-51 M GI-51 Y (Yield: 7,700 pg) Maintenance Cartridge: MC-G02	Standard GI-51 PGBK (Yield: 6,000 pg) GI-51 C GI-51 M GI-51 Y (Yield: 7,700 pg) Maintenance Cartridge: MC-G02	Standard GI-51 PGBK (Yield: 6,000 pg) GI-51 C GI-51 M GI-51 Y (Yield: 7,700 pg) Maintenance Cartridge: MC-G02
OPTIONS							
Paper feeder options	-	-	-	-	-	-	-

Office Colour
Multifunctional
Printers (A4)



	PIXMA G6050	PIXMA G7050	MAXIFY MB2150 / MAXIFY MB2750	MAXIFY MB5150 / MAXIFY MB5450	MAXIFY GX6050	MAXIFY QX7050	I-SENSYS MF640 Series (MF641Cw, MF643Cdw, MF645Cx)
Print technology	Inkjet (Refillable Ink Tank)	Inkjet (Refillable Ink Tank)	Inkjet	Inkjet	Inkjet (Refillable Ink Tank)	Inkjet (Refillable Ink Tank)	Laser
Suitable for	Personal or workgroup	Personal or workgroup	Personal	Personal or Workgroup	Personal or workgroup	Personal or workgroup	Personal or Small Workgroup
Core function	Print, Scan, Copy	Print, Scan, Copy, Fax	Print, Scan, Copy, Fax	Print, Scan, Copy, Fax	Print, Scan, Copy, Fax	Print, Scan, Copy, Fax	Print, Scan, Copy, MF645Cx : + Fax
PRINT FEATURES							
Print speed (Mono/ Colour)	13 / 6.8 ipm	13 / 6.8 ipm	MAXIFY MB2150 : 19 / 15 PPM MAXIFY MB2750 : 24 / 15.5 PPM	24 / 15.5 ppm	24 / 15.5 ppm	24 / 15.5 ppm	MF641Cw : 18 ppm (A4) MF643Cdw & MF645Cx : 21ppm
First Page Out from ready (Mono/Colour)	-	-	6 secs / 6 secs	6 secs / 6 secs	6 secs / 8 secs	6 secs / 8 secs	10.4 secs / 10.5 secs
Resolution (dpi)	4800 x 1,200 dpi	4800 x 1,200 dpi	1,200 x 600 dpi	1,200 x 600 dpi	600 x 1,200 dpi	600 x 1,200 dpi	1,200 x 1,200 dpi
Automatic double sided printing	Yes	Yes	Yes	Yes	Yes	Yes	MF641Cw: NO MF643Cdw, MF645Cx : YES
Paper Cassette	2	2	MAXIFY MB2150 : 1 MAXIFY MB2750 : 2	MAXIFY MB5150 : 1 MAXIFY MB5450 : 2	2	3	Standard : 1
Paper Capacity	ASF: 100-sheet Cassette: 250-sheet	ASF: 100-sheet Cassette: 250-sheet	MAXIFY MB2150 : 250 sheets MAXIFY MB2750 : 250 sheets x 2	MAXIFY MB5150 : 250 sheets MAXIFY MB5450 : 250 sheets x 2	ASF: 100-sheet Cassette: 250-sheet	ASF: 100-sheet Cassette 1: 250-sheet Cassette 2: 250-sheet	Standard : 251-sheet Maximum : 251-sheet
Printer languages	-	-	-	-	-	-	MF641Cw : UFR II MF643Cdw : UFR II, PCL5c/6 MF645Cx : UFR II, PCL5c/6, Adobe PostScript 3
Paper finishing options	-	-	-	-	-	-	-
Duty Cycle pages/month	5,000	5,000	15,000	30,000	45,000	45,000	30,000
Recommended pages/month	-	-	200 - 1000	250 - 1,500	250 - 1,500	250 - 1,500	250 - 2,500
Additional printing features	-	-	-	-	-	-	Print from USB, Secure Print
SCAN FEATURES							
Scanner type	Platen	Platen, ADF	Platen, ADF	Platen, 2-sided ADF (single pass)	Platen, ADF	Platen, 2-sided ADF (single pass)	MF641Cw: Platen, MF643Cdw, MF645Cx: Platen, 2-sided ADF
ADF Capacity	-	35-sheet	50-sheet	50-sheet	50-sheet	50-sheet	50-sheet
Scanning destination	Scan to PC	Scan to PC	Scan to PC, Scan to USB, Scan to Email, Scan to Cloud	Scan to PC, Scan to USB, Scan to Email, Scan to Cloud	Scan to PC, Scan to USB, Scan to Email	Scan to PC, Scan to USB, Scan to Email	Scan to PC, USB, E-Mail, FTP, Cloud MF645Cx: iFax
Scanning speed	-	-	-	23ipm	22.2ipm	22.3ipm	27 ipm
CONNECTIVITY							
Mobile connectivity	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Canon PRINT Business (iOS/Android), Mopria MF645Cx : uniFLOW
Cloud connectivity	PIXMA Cloud Link	PIXMA Cloud Link	MAXIFY Cloud Link	MAXIFY Cloud Link	PIXMA Cloud Link	PIXMA Cloud Link	Canon PRINT Business (iOS/Android)
PHYSICAL FEATURES							
Interface	USB, Wireless, Ethernet, Wireless Direct Connection	USB, Wireless, Ethernet, Wireless Direct Connection	MAXIFY MB2150 : USB, WiFi, USB memory MAXIFY MB2750 : USB, WiFi, Ethernet, USB memory	USB, WiFi, Ethernet, USB memory	USB, WiFi, Ethernet, USB memory	USB, WiFi, Ethernet, USB memory	USB, Ethernet, Wireless, Wireless Direct Connection
Display	Full dot LCD	Full dot LCD	MAXIFY MB2150 : 6.2cm colour touch screen MAXIFY MB2750 : 7.5cm colour touch screen	8.8cm colour touch screen	6.9cm colour touch screen	6.9cm colour touch screen	12.7cm LCD Colour touch screen
Dimensions W x D x H	403 x 369 x 195 mm	403 x 369 x 234 mm	MAXIFY MB2150 : 463 x 389 x 260 mm MAXIFY MB2750 : 463 x 389 x 320 mm	MAXIFY MB5150 : 463 x 394 x 291 mm MAXIFY MB5450 : 463 x 394 x 351 mm	399 x 410 x 254 mm	399 x 410 x 314 mm	MF641Cw: 451 mm x 460 mm x 360 mm MF643Cdw, MF645Cx: 451mm x 460mm x 413mm
Weight	8.1kg	9.6kg	MAXIFY MB2150 : 10.6 kg MAXIFY MB2750 : 12.1 kg	MAXIFY MB5150 : 11.4 kg MAXIFY MB5450 : 12.9 kg	11.6kg	13kg	MF641Cw: 18.9 kg MF643Cdw, MF645Cx: 22.6kg
Typical Electricity Consumption (KWh)	0.14	0.19	0.2	0.2	0.14	0.15	MF641Cw : 0.5 MF643Cdw, MF645Cx : 0.6
CONSUMABLES							
Cartridges	Standard G1-50 PGBK (Yield: 6,000 pg) G1-50 C, G1-50 M, G1-50 Y (Yield: 7,700 pg)	Standard G1-50 PGBK (Yield: 6,000 pg) G1-50 C, G1-50 M, G1-50 Y (Yield: 7,700 pg)	1500 XL : BK,C,M,Y Black Yield: 1200 pg Colour Yield: 900 pg	2500 XL : BK,C,M,Y Black Yield: 2500 pg Colour Yield: 1500 pg	Standard G1-56 BK (Standard Yield: 6,000 pg / Economy Yield: 9,000 pg) G1-56 C G1-56 M G1-56 Y (Colour Standard Yield: 14,000 pg / Economy Yield 21,000 pg) Maintenance Cartridge: MC-G01	Standard G1-56 BK (Standard Yield: 6,000 pg / Economy Yield: 9,000 pg) G1-56 C G1-56 M G1-56 Y (Colour Standard Yield: 14,000 pg / Economy Yield 21,000 pg) Maintenance Cartridge: MC-G01	Cartridge 054 Black (Yield :1,500 pg) Cartridge 054 H Black (Yield : 3,100 pg) Cartridge 054 Cyan (Yield :1,300 pg) Cartridge 054 H Cyan (Yield :2,300 pg) Cartridge 054 Magenta (Yield :1,200 pg) Cartridge 054 H Magenta (Yield :2,300 pg) Cartridge 054 Yellow (Yield :1,200 pg) Cartridge 054 H Yellow (Yield :2,300 pg)
OPTIONS							
Paper feeder options	-	-	-	-	-	-	-

Office Colour
Multifunctional
Printers (A4)



	I-SENSYS MF740 series (MF742Cdw, MF744Cdw)	I-SENSYS MF832Cdw	I-SENSYS X C1127i- Series (C1127i, C1127iF)	imageRUNNER C1530 Series (iR C1533iF, iR C1538iF)	imageRUNNER ADVANCE DX C257i/C157i Series (iR-ADV DX C257i/ iR-ADV DX C357i/DX C357P)	imageRUNNER ADVANCE DX C478i/iZ Series
Print technology	Laser	Laser	Laser	Laser	Laser	Laser
Suitable for	Small Workgroup	Small Workgroup	Small Workgroup	Small Workgroup or Department	Workgroup or Department	Workgroup or Department
Core function	MF742Cdw : Print, Scan, Copy, Send MF744Cdw : Print, Scan, Copy, fax	Print, Scan, Copy, Fax	C1127i : Print, Scan, Copy C1127iF : Print, Scan, Copy, Fax	Print, Scan, Copy, Send, Fax	Print, Copy*, Scan*, Send*, Store and Optional Fax* *Not applicable to iR-ADV DX C357P (Printer model)	Print, Copy, Scan, Send, Store and Optional Fax
PRINT FEATURES						
Print speed (Mono/ Colour)	27 ppm	38ppm	27 ppm	iR C1533iF: 33 ppm / 33 ppm iR C1538iF: 38 ppm / 38ppm	iR-ADV DX C257i : 25 ppm / 25 ppm iR-ADV DX C357i/DX C357P : 35 ppm / 35 ppm	iR-ADV DX C478i/iZ: 47 / 47 ppm
First Page Out from ready (Mono/Colour)	7.7 secs / 8.6 secs	6.56/7.62	7.7 secs / 8.6 secs	-	-	-
Resolution (dpi)	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 x 1,200 dpi	1,200 dpi x 1,200 dpi	1,200 dpi x 1,200 dpi
Automatic double sided printing	YES	YES	YES	YES	YES	YES
Paper Cassette	Standard : 1 Maximum: 2	Standard : 1 Maximum: 2	Standard : 1 Maximum: 2	Standard : 1 Maximum: 3	Standard: 1 Maximum: 4	Standard: 1 Maximum: 4
Paper Capacity	Standard : 300-sheets Maximum : 850-sheets	Standard : 650-sheets Maximum : 2,300-sheets	Standard : 300-sheets Maximum : 850-sheets	Standard : 650-sheets Maximum : 2,300-sheets	Standard : 650-sheets Maximum : 2,300-sheets	Standard: 600-sheets Maximum: 2,100-sheets
Printer languages	MF742Cdw: UFRiII, PCL5c/6 MF744Cdw: UFRiII, PCL5c/6, Adobe PostScript 3	UFRiII, PCL 5cI, PCL6, Adobe® PostScript3	UFRiII, PCL5c/6, Adobe PostScript 3	UFRiII, PCL 5cI, PCL6, Adobe® PostScript3	UFRiII, PCL6, Adobe PostScript 3	UFRiII , PCL6, Adobe PostScript 3
Paper finishing options	-	-	-	-	Staple Finisher	Built in Staple Finisher
Duty Cycle pages/month	50,000	80,000	50,000	iRC1533iF: 40,000 iRC 1538iF: 50,000	iR-ADV DX C257i : 40,000 iR-ADV DX C357i/DX C357P: 50,000	iR-ADV DX C477i/iZ: 60,000
Recommended pages/month	750 - 4,000	2,000	750 - 4,000	iRC1533iF: 1,500 iRC 1538iF: 2,000	iR-ADV DX C257i : 1,500 - 8,000 iR-ADV DX C357i/DX C357P : 2,500 - 8,000	iR-ADV DX C477i/iZ: 3,500 - 6,600
Additional printing features	Print from USB, Secure Print	Secure Print,Force hold Print,Print from USB Microsoft Universal Print	Print from USB, Secure Print	Secure Print,Force hold Print,Print from USB Microsoft Universal Print	Print from USB, Secure print	Print from USB, Secure print
SCAN FEATURES						
Scanner type	MF742Cdw: Platen, ADF, MF744Cdw: Platen, 2-sided ADF	Platen, 2-sided ADF (single pass)	Platen, 2-sided ADF	Platen, 2-sided ADF (single pass)	Platen, Single Pass DADF *Detect Feeder Multi Sheet Feed is supported	Platen, Single Pass DADF *Detect Feeder Multi Sheet Feed is supported
ADF Capacity	50-sheet	100-sheet	50-sheet	100-sheet	100-sheets	100-sheets
Scanning destination	Scan to PC, USB, E-Mail, FTP, Cloud MF744Cdw: iFax	Scan to PC, USB, E-Mail, FTP, Cloud, iFax	C1127i : Scan to PC, USB, E-Mail, FTP, Cloud C1127iF : + internet Fax	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), Super G3 Fax, WebDAV	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box	Scan to PC (SMB, FTP), USB, E-Mail/Internet FAX (SMTP), WebDAV and Mail Box
Scanning speed	27 ipm	Single Pass DADF (Simplex, Duplex): 95 ipm, 150 ipm	27 ipm	Single Pass DADF (Simplex, Duplex): 95 ipm, 150 ipm	Single Pass DADF (Simplex, Duplex): 95 ipm, 190 ipm	Single Pass DADF (Simplex, Duplex): 95 ipm, 190 ipm
CONNECTIVITY						
Mobile connectivity	MF742Cdw: AirPrint, Canon PRINT Business (iOS/Android), Mopria (iOS/Android), Mopria MF744Cdw: + Touch and Print (NFC)	AirPrint, Mopria, Canon PRINT App (iOS/Android)	AirPrint, Canon PRINT Business (iOS/Android), Mopria, Touch and Print (NFC)+ uniFLOW	AirPrint, Mopria, Canon PRINT App (iOS/Android), mobile PRINT & SCAN, uniFLOW Online	AirPrint, Canon PRINT Business (iOS/Android), Mopria, Opt NFC, mobile PRINT & SCAN, uniFLOW Online	AirPrint, Canon PRINT Business (iOS/Android), Mopria, Opt NFC, uniFLOW Online
Cloud connectivity	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android), Universal Print	Canon PRINT Business (iOS/Android)	Canon PRINT Business (iOS/Android), Universal Print by Microsoft, uniFLOW Online and uniFLOW Online Express	Canon PRINT Business (iOS/Android), uniFLOW Online Express, uniFLOW Online and uniFLOW Online Express	Canon PRINT Business (iOS/Android), uniFLOW Online and uniFLOW Online Express
PHYSICAL FEATURES						
Interface	USB, Ethernet,Wireless, Wireless Direct Connection.	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection	USB, Ethernet,Wireless, Wireless Direct Connection.	USB 2.0 Hi-Speed, 10BASE-T/100BASE-TX/1000Base-T, Wireless 802.11b/g/n, Wireless Direct Connection	USB, Ethernet, Wireless	USB, Ethernet, Wireless
Display	12.7cm LCD Colour touch screen	17.8 cm / 7" LCD Colour Touch Screen	12.7cm LCD Colour touch screen	17.8 cm / 7" LCD Colour Touch Screen	10.1" TFT LCD WSVGA Color Touch panel	10.1" TFT LCD WSVGA Color Touch panel
Dimensions W xD x H	MF742Cdw: 451 mm x 469 mm x 460 mm MF744Cdw: 471mm x 469mm x 460mm	500 mm x 556 mm x 640 mm	471 mm x 469 mm x 460 mm	500 mm x 556 mm x 640 mm	iR-ADV DX C357i/C257i: 519 x 658 x 638 mm iR-ADV DX C357P: 519 x 658 x 525 mm	Standard model (iR-ADV DX C478i): 521 x 642 x 668 mm Finisher model (iR-ADV DX C478iZ): 521 x 642 x 864 mm
Weight	Approx 26.7kg	Approx. 41 Kg	24.5kg	Approx. 41 Kg	iR-ADV DX C357i/C257i: Approx. 48 kg (including toner) iR-ADV DX C357P: Approx. 41 kg (including toner)	Standard model (iR-ADV DX C478i): Approx. 46 kg Finisher model (iR-ADV DX C478iZ): Approx. 55 kg
Typical Electricity Consumption (KWh)	1	0.43	1	0.43	iR-ADV DX C257i : 0.23 kWh iR-ADV DX C357i/C357P : 0.35 kWh *As per USA Energy Star 3.0	iR-ADV DX C478i/C478iZ: 0.49 kWh *As per USA Energy Star 3.0
CONSUMABLES						
Cartridges	Cartridge 055 Black (Yield : 2,300 pg) Cartridge 055 H Black (Yield : 7,600 pg) Cartridge 055 Cyan (Yield : 2,100 pg) Cartridge 055 H Cyan (Yield : 5,900 pg) Cartridge 055 Magenta (Yield : 2,100 pg) Cartridge 055 H Magenta (Yield : 5,900 pg) Cartridge 055 Yellow (Yield : 2,100 pg) Cartridge 055 H Yellow (Yield : 5,900 pg)	Cartridge 064 Black (6,000 pages 1l) Cartridge 064H Black (13,400 pages 1l) Cartridge 064 Cyan (6,000 pages 1l) Cartridge 064H Cyan (10,400 pages 1l) Cartridge 064 Magenta (5,000 pages 1l) Cartridge 064H Magenta (10,400 pages 1l) Cartridge 064 Yellow (5,000 pages 1l) Cartridge 064H Yellow (10,400 pages 1l)	TONER T09 Black (7,600 pages) TONER T09 Cyan (5,900 pages) TONER T09 Magenta (5,900 pages) TONER T09 Yellow (5,900 pages)	T10 TONER BK: 13,000 pages T10 TONER C/M/Y: 10,000 pages T10 TONER BK: 6,000 pages T10L TONER C/M/Y: 5,000 pages	C-EXV 55 Toner BK: 23,000 pages C-EXV 55 Toner C/M/Y: 18,000 pages	Toner T04 BK: 33,000 pages Toner T04 C/M/Y: 27,500 pages Toner T04L BK: 11,000 pages Toner T04L C/M/Y: 9,000 pages
OPTIONS						
Paper feeder options	1 x 550-sheet paper cassette	Standard = 1 x 650 Additional = 2 x Paper Feeder PF-D1 (550-sheet cassette) 1 x CST.Feeding Unit-AV1 (550-sheet cassette)	1 x 550-sheet paper cassette	Standard = 650 sheets Maximum = 2,300 Sheets (with 2 x Paper Feeder PF-D1 and 1 x CST.Feeding Unit-AV1)	Standard: 650 sheets 100-sheets Multi-purpose tray 550-sheets Paper cassette x 1 Maximum: 2,100 sheets (with Cassette Feeding Unit-AK1)	Standard: 600 sheets 500-sheet Multi-purpose tray 500-sheet Paper cassette x 1 Maximum: 2,100 sheets (with Cassette Feeding Unit-AT1)